




Applicable products

GR-300





GR-350




GR-680




CABLE ARM 300




Length specification



Section of profile



Length specification



L1	L2	L3	L4
1.5M	79.5CM	59.5CM	85CM
2.0M	109.5CM	79.5CM	111CM
2.5M	124.5CM	109.5CM	130CM
3.0M	159.5CM	129.5CM	165CM



Applicable products




GR-300




GR-350




GR-680




Length specification
L1



Section of profile




Length specification
L4



L1	L2	L3	L4
1.5M	74.5CM	59.5CM	82CM
2.0M	99.5CM	84.5CM	107CM
2.5M	124.5CM	109.5CM	132CM
3.0M	149.5CM	134.5CM	157CM
3.5M	174.5CM	159.5CM	182CM

EXTRA STRONGER CABLE ARM 740

ARM



Applicable products

GR-580B2




GR-660



GR-670




GR-680




Length specification

L1




Length specification

L4




Section of profile



L1	L2	L3	L4
3.0M	149.5CM	134.5CM	162.5CM
3.5M	174.5CM	159.5CM	187.5CM
4.0M	199.5CM	184.5CM	212.5CM
4.5M	224.5CM	209.5CM	237.5CM

EXTRA STRONGER CABLE ARM 740



Applicable products


GR-680




GR-830




GR-660




Length specification L1




Section of profile



Length specification L4



L1	L2	L3	L4
1.5M	74.5CM	59.5CM	86CM
2.0M	99.5CM	84.5CM	111CM
2.5M	124.5CM	109.5CM	136CM
3.0M	149.5CM	134.5CM	161CM
3.5M	174.5CM	159.5CM	186CM



Applicable products


GR-580B1



GR-580B2




GR-660



GR-670




GR-830




Length specification

L1




Section of profile




Length specification

L4




L1	L2	L3	L4
0.8M	39.5CM	24.5CM	50CM
1.0M	49.5CM	34.5CM	60CM
1.5M	74.5CM	59.5CM	85CM
2.0M	99.5CM	84.5CM	110CM
2.5M	124.5CM	109.5CM	135CM
3.0M	149.5CM	134.5CM	160CM
3.5M	174.5CM	159.5CM	185CM




Applicable products



GR-100



GR-200




GR-220C




Length specification

L1




Section of profile



Length specification

L4



L1	L2	L3	L4
1.5M	74.5CM	64.5CM	84CM
2.0M	99.5CM	89.5CM	109CM
2.5M	124.5CM	114.5CM	134CM
3.0M	149.5CM	139.5CM	159CM